

SIM7600_USB-OTG_ Application_Note_V1.00





Document Title:	SIM7600 USB-OTG Application Note
Version:	1.00
Date:	2017-11-25
Status:	Released
Document Control ID:	SIM7600 USB-OTG Application Note_V1.00

General Notes

SIMCom offers this information as a service to its customers, to support application and engineering efforts that use the products designed by SIMCom. The information provided is based upon requirements specifically provided to SIMCom by the customers. SIMCom has not undertaken any independent search for additional relevant information, including any information that may be in the customer's possession. Furthermore, system validation of this product designed by SIMCom within a larger electronic system remains the responsibility of the customer or the customer's system integrator. All specifications supplied herein are subject to change.

Copyright

This document contains proprietary technical information which is the property of SIMCom Limited., copying of this document and giving it to others and the using or communication of the contents thereof, are forbidden without express authority. Offenders are liable to the payment of damages. All rights reserved in the event of grant of a patent or the registration of a utility model or design. All specification supplied herein are subject to change without notice at any time.

Copyright © Shanghai SIMCom Wireless Solutions Ltd. 2017



Contents

Contents	2
Version history	
1 Introduction	
2. USB application	
2.1 Reference design	
2.2 Software requirement	



Figure Index



Version history

Date	Version	Description of change	Author
2017-11-25	1.00	Origin	Ma Honggang



1 Introduction

This document aims to guide customers design the USB-OTG application circuits based on SIM7600 module.



2. USB application

The module can be used as a host device, customer should design the circuit follow the reference design that illustrated in this chapter.

2.1 Reference design

SIM7600CE supports OTG application, following figure is the reference design.




Figure 1: Reference circuit of USB-OTG application

The USB_VBUS pin of SIM7600 could be only used as the USB cable insert detecting, which cannot be taken as a power source for other device, so when customer design a USB-OTG circuit, customer should provide a +5V for USB device. +5V would connect to USB_VBUS when the USB_ID is pulled down, then the module would be used as a host device.

2.2 Software requirement

This function need software support, the version should later than B07V01.



Contact us:

Shanghai SIMCom Wireless Solutions Ltd.

Add: SIM Technology Building, No.633, Jinzhong Road, Changning District, Shanghai P.R. China

200335

Tel: +86 21 3235 3300 Fax: +86 21 3235 3020

URL: www.simcomm2m.com